



Date: Wednesday, 15/08/2007 4:00:28 PM
User: Linda Lacelle

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: EXTRUSION "I" BEAM WEB 4"
Jot Number	: 33940	Part Number	: D25003100
Estimate Number	: 10155	Drawing Number	: D2500 REV G
P.C. Number	: N/A	Project Number	: N/A
This Issue	: 15/08/2007 S.O. No. : N/A	Drawing Revision	: G
Prsht Rev.	: NC	Material	: N/A
First Issue	: NA	Due Date	: 09/09/2007
Previous Run	: 31223	Qty:	189
Written By	: 	Um:	80
Checked & Approved By	: 	Each	
Comment	: Est E 02.09.10 Added DSK 066 KJ est F 07.07.06 rev G dwg EC		

Additional Product

Jot Number:



Seq. #: Machine Or Operation: Description :

1.0 PG PURCHASING



Comment: PURCHASING

- Issue P/O: 4374
- a) Extrude as per Dwg D2500
 - b) Material: 6061-T6 (QQ-A-200/8)
 - c) Minimum yield tensile strength = 35 ksi
 - d) Minimum ultimate tensile strength = 38 ksi
 - e) Minimum elongation = 10%
 - f) Order at 100" long
 - g) Caradon Indalex Tool # MS-18867
 - h) To be packed per DSK 066
 - i) Pull test to ASTM standard B221 required.
 - j) Material certification is required

C207108116

(80)

2.0 D25003100P Ext'n - "I" Beam Web 4"



Comment: Qty.: 1.0000 Each(s)/Unit Total: 80.0000 Each(s)
EXTRUSION "I" BEAM WEB 4"

C2071139

(189)

3.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1
Receive & Inspect For Transit Damage
Ensure material certification is attached

AWM / SRJ 7-12-5

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: DD Date: 21/2/06
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 15/08/2007 4:00:28 PM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: EXTRUSION 'I' BEAM WEB 4"

Job Number: 33940

Part Number: D25003100

Job Number:



Seq. #:

Machine Or Operation:

Description :

4.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Inspect dimensions per Dwg D2500

Check Pull test per Dwg D2500 for compliance page attached.

Check hardness with Webster tester

L 07/12/05 *(189)*

5.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *L.G.*

SR/AWM 07-12-05

180

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

189
D 07/12/06

Job Completion



L 07/12/05

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2500	REV. G SHEET 1 OF 3
DATE 07.04.17		TITLE EXTRUSION	SCALE NTS
A	96.03.19	NEW ISSUE	
B	96.03.24	CHANGE INTERNAL WEB	
C	96.04.26	ADD D2500-3 WEB	
D	96.10.07	ADD MATERIAL PROPERTIES	
E	96.10.24	CHANGE MATERIAL TEMPER	
F	97.09.29	CHANGE MAT. TO 6061-T6	
G	07.04.17	ADD NOTES 3,5,6	

RELEASED
07-06-28-#

1. MATERIAL: 6061-T6 (QQ-A-200/8)

MINIMUM TENSILE YIELD STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
MINIMUM ELONGATION = 8%

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO
ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY
TO ENSURE THAT THE BATCH MEETS THE ABOVE
MINIMUM MECHANICAL PROPERTIES

2. BREAK ALL SHARP CORNERS 0.010 MAX
3. ALL DIMENSIONS ARE IN INCHES
4. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
5. FOR D2500-1 PART NUMBER IS D2500-1-XXX WHERE XXX IS CUT LENGTH (EX. D2500-1-190 IS 190" LONG)
D2500-1 EXTRUSION MANUFACTURED FROM:
A) BON L DIE # 897015 -> PREFERRED w/0! 33940
B) CARADON MIDEAST DIE # PAH-28030
C) CARADON MTL DIE # MH-18868
6. FOR D2500-3, PART NUMBER IS D2500-3-XXX WHERE XXX IS CUT LENGTH IN INCHES (EX. D2500-3-100 IS 100" LONG)
D2500-3 EXTRUSION MANUFACTURED FROM:
A) CARADON INDALEX DIE # MS-18867

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN [Signature]	DRAWN BY RH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D2500	REV. G SHEET 2 OF 3
DATE 07.04.17		TITLE EXTRUSION	SCALE 1:1

RELEASED
07.06.28 [Signature]



D2500-1

w/o: 33940

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	<i>[Signature]</i>	DRAWN BY	<i>[Signature]</i>	DART AEROSPACE LTD HAMKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	DRAWING NO.	REV. 6
DATE	07.04.17			D2500	SHEET 3 OF 3
				TITLE	SCALE
				EXTRUSION	1:1

RELEASED
07.06.28



D2500-3

109
(70)

w/0: 33940



325 rue Avro
Pointe-Claire QC H9R 5W3

Téléphone (514) 697-5120
Fac-simile (514) 694-8310

Rapport des propriétés mécaniques Mechanical Properties Test Report

Client / Customer : **DART AEROSPACE LTD**
Adresse / Address : **1270 ABERDEEN STREET
HAWKESBURY ONT,
K6A 1K7**

commande Indalex / Indalex order # : **7111793**

bon de commande / Purchase order # : **4374**

de matrice / Die # : **MS 18867** Description : **D2500-3**

Alliage & trempage / Alloy & temper : **6061 T6**

Contrôle / Control # : **62481-1**

Coulée / Cast # : **42082**

	Min.requis Min.required	Résultat actuel Actual results
Tension ultime Ultimate stress (psi)	38 000	41292
Contrainte élastique Yield stress (psi)	38 000	38615
% élongation dans 2" % elongation in 2"	8	12
Dureté Rockwell E (hre) Rockwell E Hardness (hre)	88 @ 100	92

Composition chimique typique / Typical chemical composition :

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
6063	0.20 - 0.60	0.35 Max	0.10 Max	0.10 Max	0.45 - 0.90	0.10 Max	0.10 Max	0.10 Max
6005	0.60 - 0.90	0.35 Max	0.10 Max	0.10 Max	0.40 - 0.60	0.10 Max	0.10 Max	0.10 Max
6005A	0.68 - 0.72	0.15 - 0.27	0.08 - 0.12	0.20 - 0.24	0.48 - 0.52	0.03 Max	0.05 Max	0.03 Max
6061	0.40 - 0.80	0.70 Max	0.15 - 0.40	0.15 Max	0.80 - 1.20	0.04 - 0.35	0.25 Max	0.15 Max
6351	0.7 - 1.3	0.5 Max	0.10 Max	0.40 - 0.80	0.40 - 0.80	—	0.20 Max	0.20 Max

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221 excepté pour la section 8.2 (nombre de spécimen) et AMS QQA 200/8 excepté pour la section 4.2.3.1 (nombre de spécimen) qui sont déterminés par les exigences du client.

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221 except for section 8.2 (number of specimen) and AMS QQA 200/8 except for section 4.2.3.1 (number of specimen) which is determined by customer requirement.

Sincèrement vôtre,
Yours truly,

date : 2007-11-27

Bruno Morency
Technicien de la qualité
Quality technician

Indalex Limited

11/27/2007 TUE 11:42 FAX 613 632 4443 DART HELICOPTER SERVICES →→ DAS - LINDA

001/002

11/27/2007 TUE 11:33 FAX 514 694 8310 Indalex Mtl

001/002



INDALEX LIMITED
325 AVRO Street
POINTE-CLAIRE, QC H9R 5W3
TELEPHONE: (514) 697-5120 & (800) 563-5120
FACSIMILE: (514) 694-8310 & (800) 563-8310

FACSIMILE TRANSMITTAL SHEET

TO: Christina Young

FROM: Bruno Morency
Quality Technician

COMPANY:
DART AEROSPACE LTD

DATE:
2007/11/27

FAX NUMBER:
1(613) 632-4443

TOTAL NO. OF PAGES INCLUDING COVER:
2

PHONE NUMBER:

SENDER'S REFERENCE NUMBER:

SUBJECT:
REPORT

TIME:

☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS:

Mechanical properties report.

THIS COMMUNICATION IS INTENDED ONLY FOR THE PARTY NAMED BELOW AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED AND CONFIDENTIAL. IF YOU ARE NOT THE INTENDED RECIPIENT OR THE PERSON RESPONSIBLE FOR DELIVERING THIS COMMUNICATION TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION, OR THE TAKING OF ANY ACTION IN RELIANCE UPON THE CONTENTS OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, KINDLY NOTIFY THE SENDER IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL TO US BY MAIL.

